

digirelation

Review of Pollyextreme.com

Generated on 2025-02-08

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary

✔ **Title Tag** Климатичи Монтана, Берковица, Лом, Вършец ... | PollyExtreme
⚙️⚙️⚙️
Length: 60 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.

✔ **Meta Description** Онлайн магазин за климатичи ★ Цени на климатичи в Монтана, Берковица, Лом, Вършец, Враца ★
Качествени климатичи с монтаж ☎️ 0887 55 87 87
⚙️⚙️⚙️
Length: 137 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.

⊙ **Meta Keywords** klimatici, klimatici-montana, klimatici-vraca
⚙️⚙️⚙️

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

Климатизи Монтана, Берковица, Лом, Вършец ... | PollyExtreme
pollyextreme.com/

Онлайн магазин за климатизи ★ Цени на климатизи в Монтана, Берковица, Лом, Вършец, Враца ★ Качествени климатизи с монтаж ☎ 0887 55 87 87

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
1	3	10	60	0	0

- <H1> Онлайн магазин за климатизи </H1>
- <H2> Климатизи на добри цени в Монтана, Берковица, Лом, Вършец, Враца, цяла Северозападна България </H2>
- <H2> Видове климатизи, които може да закупите от всяко място в България </H2>
- <H2> Видове марки климатична техника </H2>
- <H3> Инверторни климатизи </H3>
- <H3> Хиперинверторни климатизи </H3>
- <H3> Колонни климатизи </H3>
- <H3> Подови климатизи </H3>
- <H3> Таванни климатизи </H3>
- <H3> Касетъчни климатизи </H3>
- <H3> Канални климатизи </H3>
- <H3> Мобилни климатизи </H3>
- <H3> Мултисплит системи </H3>
- <H3> Предимства на климатизиците </H3>
- <H4> Навес за външно тяло на климатик - 80/55 см </H4>
- <H4> Козирка за външно тяло на климатик - 100/65 см </H4>
- <H4> Комплект антивибрационни тампони - 4 броя </H4>
- <H4> Инверторен климатик Mitsubishi Heavy SRK35ZSP-W1/SRC35ZSP-W1 STANDARD, 12000 BTU </H4>
- <H4> Инверторен климатик Mitsubishi Heavy SRK35ZS-W/SRC35ZS-W2 PREMIUM, 12000 BTU </H4>
- <H4> Инверторен климатик Gree GWH12AUCXB-K6DNA2A CLIVIA WiFi, 12000 BTU </H4>
- <H4> Вентилаторна печка Rowenta SO6510, 2400W </H4>
- <H4> Инверторен климатик Daikin FTXP35M/RXP35M COMFORA, 12000 BTU </H4>
- <H4> Инверторен климатик Hitachi RAK-DJ50PHAE/RAC-DJ50PHAE airHome 400 WiFi, 18000 BTU </H4>
- <H4> Инверторен климатик Hitachi RAK-DJ35PHAE/RAC-DJ35PHAE airHome 400 WiFi, 12000 BTU </H4>
- <H4> PVC кондензна тава за климатик + нагревател с термостат </H4>
- <H4> Хиперинверторен климатик Mitsubishi Heavy SRK35ZSX-W/SRC35ZSX-W DIAMOND, 12000 BTU



</H4>

<H4> Инверторен климатик KAISAI KLB-18HRHI/KLWB-18HRHO ICE WiFi, 18000 BTU </H4>
<H4> Инверторен климатик Alpin ASW-35ETE Elite WiFi, 12000 BTU </H4>
<H4> Инверторен климатик Mitsubishi Heavy SRK25ZSP-W1/SRC25ZSP-W1 STANDARD, 9000 BTU </H4>

<H4> Инверторен климатик Hitachi RAK-VJ35PHAE/RAC-VJ35PHAE airHome 600 WiFi, 12000 BTU </H4>

<H4> Wi-Fi управление UTY-TFSXH3 за климатици General Fujitsu </H4>

<H4> Wi-Fi управление за климатици Kaisai </H4>

<H4> Wi-Fi контролер iCON FGL за климатици Fuji Electric </H4>

<H4> Инверторен климатик Midea MA3-18HRFN8-QRD0GW/MA3-18HFN8-QRD0GW Prime 2, 18000 BTU </H4>

<H4> Инверторен климатик Inventor LHUVI-12WFI/LHUVO-12 LEON WiFi, 12 000 BTU </H4>

<H4> Хиперинверторен климатик General Fujitsu ASHH12KGTG/AOHH12KGCJ WiFi, 12000 BTU </H4>

<H4> Инверторен климатик General Fujitsu ASHH36KMTB/AOHH36KMTB, 36000 BTU </H4>

<H4> Инверторен климатик General Fujitsu ASHH30KMTB/AOHH30KMTB, 30000 BTU </H4>

<H4> Инверторен климатик Inventor LDVI-12WFI/LDVO-12 LEGEND WiFi, 12 000 BTU </H4>

<H4> Метална кондензна вана за климатик - голяма </H4>

<H4> Инверторен климатик Inventor NECUVI-09WFI/NECUVO-09 Neo ECO WiFi, 9000 BTU </H4>

<H4> Инверторен климатик Inventor NECUVI-12WFI/NECUVO-12 Neo ECO WiFi, 12000 BTU </H4>

<H4> Подов климатик Cooper and Hunter CH-S18FVX-NG WiFi, 18000 BTU </H4>

<H4> Подов климатик Cooper and Hunter CH-S12FVX-NG WiFi, 12000 BTU </H4>

<H4> Подов климатик Cooper and Hunter CH-S09FVX-NG WiFi, 9000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S24FTXD2-WP NG Daytona WiFi, 24000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S18FTXD2-WP NG Daytona WiFi, 18000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S12FTXD2-WP NG Daytona WiFi, 12000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S09FTXD2-WP NG Daytona WiFi, 9000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S24FTXL2Q-NG Veritas WiFi, 24000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S18FTXQ-NG Veritas WiFi, 18000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S12FTXQ-NG Veritas WiFi, 12000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S09FTXQ-NG Veritas WiFi, 9000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S24FTXF-NG Vital WiFi, 24000 BTU </H4>

<H4> Инверторен климатик Alpin ASW-25KTN Nordic WiFi, 9000 BTU </H4>

<H4> Инверторен климатик AUX ASW-H12C5A4+QDR3DI-C0 Neo, 12000 BTU </H4>

<H4> Инверторен климатик AUX ASW-H12C5A4/AQAR3DI-B8 Q-PRO, 12000 BTU </H4>

<H4> Инверторен климатик AUX ASW-H12C5A4/QFR3DI-C0 New-Q Black WiFi, 12000 BTU </H4>

<H4> Инверторен климатик Cooper and Hunter CH-S12FTXD2-WP NG Daytona WiFi, 12000 BTU </H4>

<H4> Инверторен климатик Daikin FTXC35D/RXC35D SENSIRA, 12000 BTU </H4>

<H4> Инверторен климатик Daikin FTXC50D/RXC50D SENSIRA, 18000 BTU </H4>

<H4> Инверторен климатик Daikin FTXC60D/RXC60D SENSIRA, 21000 BTU </H4>

<H4> Инверторен климатик Daikin FTXC71D/RXC71D SENSIRA, 24000 BTU </H4>

<H4> Инверторен климатик Daikin FTXM20A/RXM20A PERFERA WiFi, 7000 BTU </H4>

<H4> Инверторен климатик Daikin FTXM25A/RXM25A PERFERA WiFi, 9000 BTU </H4>

<H4> Инверторен климатик Daikin FTXM35A/RXM35A PERFERA WiFi, 12000 BTU </H4>

<H4> Инверторен климатик Daikin FTXM50A/RXM50A PERFERA WiFi, 18000 BTU </H4>

<H4> Инверторен климатик Daikin FTXP25N/RXP25N COMFORA WiFi, 9000 BTU </H4>

<H4> Инверторен климатик Daikin FTXP35M/RXP35M COMFORA, 12000 BTU </H4>

<H4> Инверторен климатик Daikin FTXP50N/RXP50N COMFORA WiFi, 18000 BTU </H4>

<H4> Инверторен климатик Fuji Electric RSG07KETE-B/ROG07KETA, 7000 BTU </H4>

<H4> Инверторен климатик Fuji Electric RSG07KETE/ROG07KETA, 7000 BTU </H4>

<H4> Инверторен климатик Fuji Electric RSG07KMCE/ROG07KMCC, 7000 BTU </H4>

<H4> Инверторен климатик Fuji Electric RSG09KETE-B/ROG09KETA, 9000 BTU </H4>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud



This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
климатик	143	✗	✗	✓
за	55	✗	✓	✓
климатици	41	✗	✓	✓
управление	38	✗	✗	✓
wi-fi	35	✗	✗	✓
cooper	35	✗	✗	✓
hunter	32	✗	✗	✓
монтаж	30	✗	✓	✗
daikin	30	✗	✗	✓
на	29	✓	✓	✓
включен	26	✗	✗	✗
daytona	15	✗	✗	✓
mitsubishi	12	✗	✗	✓
да	12	✗	✗	✓
от	10	✗	✗	✓

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

 **Alt Attribute**


We found 124 images on this web page
 1 ALT attributes are empty or missing.

<https://pollyextreme.com/image/catalog/2022/payment-cards.webp>

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).
Also, more information to help them understand images, which can help them to appear in Google Images search results.

 **Text/HTML Ratio**


HTML to Text Ratio is: **12.29%**

Text content size 24339 bytes
Total HTML size 198020 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.

 **GZIP compression**


Wow! It's GZIP Enabled.

 Your webpage is compressed from 193 KB to 18 KB (90.9 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 164.138.223.145 does not redirect to pollyextreme.com


To check this for your website, enter your IP address in the browser and see if your site loads with the IP address. Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider. If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Warning! We have detected parameters in a massive number of URLs


Your site's URLs contain unnecessary elements that make them look complicated. A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords. Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs


Great, you are not using ?underscores (these_are_underscores) in your URLs. While Google treats hyphens as word separators, it does not for underscores.

✔ **WWW Resolve** Great, a redirect is in place to redirect traffic from your non-preferred domain.
⚙️⚙️⚙️

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✔ **XML Sitemap** Good, you have XML Sitemap file!
⚙️⚙️⚙️ <http://pollyextreme.com/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.
You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

✔ **Robots.txt** Good, you have Robots.txt file!
⚙️⚙️⚙️ <http://pollyextreme.com/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.
We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.

 **Embedded Objects** Perfect, no embedded objects has been detected on this page


Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.

 **Iframe** Perfect, no Iframe content has been detected on this page


Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.

 **Domain Registration** Exactly how many years and months


Domain Age: 5 Years, 172 Days

Created Date: 21st-Aug-2019

Updated Date: 29th-Jul-2024

Expiry Date: 21st-Aug-2025

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.

 **Indexed Pages**


Indexed pages in search engines

0 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.

 **Backlinks Counter**


Number of backlinks to your website

77 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL

http://pollyextreme.com
Length: 12 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., http://www.mysite.com/en/products).



Favicon

 Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.

✔ **Page Size**
⚙️⚙️⚙️

193 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.
Page size affects the speed of your website; try to keep your page size below 2 Mb.
Tip: Use images with a small size and optimize their download with gzip.

✔ **Load Time**
⚙️⚙️⚙️

0.51 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.
Resources: Check out Google's developer tutorials for tips on how to to make your website run faster.

✔ **Language**
⚙️⚙️⚙️

Good, you have declared your language
Declared Language: Bulgarian

Make sure your declared language is the same as the language detected by Google
Also, define the language of the content in each page's HTML code.

● **Domain Availability**

Domains (TLD)	Status
pollyextreme.net	Available
pollyextreme.org	Already Registered
pollyextreme.biz	Already Registered
pollyextreme.us	Available
pollyextreme.info	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.

● **Typo Availability**

Domains (TLD)	Status
polyextreme.com	Available
oollyextreme.com	Available
lollyextreme.com	Available
pillyextreme.com	Available
pklllyextreme.com	Available

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy



Email address has been found in plain text!

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.

✔ **Mobile Friendliness** Awesome! This page is mobile-friendly!
Your mobile friendly score is 60/100



Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.

✔ **Mobile Compatibility** Perfect, no embedded objects detected.



Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.
But avoid using Embedded Objects, so your content can be accessed on all devices.

-
-



Търсене

- [Моят профил](#)
 - [Вход](#)
 - [Регистрация](#)
 - [Плащане](#)
- [Любими \(0\)](#)

0Количка 0.00 лв.

 - Вашата количка е празна!

ПРОДУКТИ
Меню

- [Начало](#)
- [Климатизи](#)
 - [Инверторни климатизи](#)
 - [Хиперинверторни климатизи](#)
 - [Колонни климатизи](#)
 - [Подови климатизи](#)
 - [Таванни климатизи](#)
 - [Касетъчни климатизи](#)
 - [Канални климатизи](#)
 - [Мобилни климатизи](#)

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
164.138.223.145	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✓ Perfect, your website has few CSS files.
- ✓ Perfect, your website has few JavaScript files.
- ✓ Perfect, your website doesn't use nested tables.
- ✗ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.

 **Doc Type**


Your Web Page doctype is HTML 5

The Doctype is used to instruct web browsers about the document type being used.
For example, what version of HTML the page is written in.
Declaring a doctype helps web browsers to render content correctly.

 **W3C Validity**


W3C not validated

W3C is a consortium that sets web standards.
Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.
Run the W3C validation service whenever changes are made to your website's code.

 **Encoding**


Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook:  Klimatici.montana

 Twitter: 

 Instagram:  Pollyextremeltd

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank



A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:



Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$10 USD



Just a estimated worth of your website based on Alexa Rank.

In-Page Links

We found a total of 220 links including both internal & external links of your site

Anchor	Type	Follow
No Anchor Text	Internal Links	Dofollow
Моят профил	Internal Links	Dofollow
Вход	Internal Links	Dofollow
Регистрация	Internal Links	Dofollow
Плащане	Internal Links	Dofollow
Любими (0)	Internal Links	Dofollow
Климатизи	Internal Links	Dofollow
Инверторни климатизи	Internal Links	Dofollow
Хиперинверторни климатизи	Internal Links	Dofollow
Колонни климатизи	Internal Links	Dofollow
Подови климатизи	Internal Links	Dofollow
Таванни климатизи	Internal Links	Dofollow
Касетъчни климатизи	Internal Links	Dofollow
Канални климатизи	Internal Links	Dofollow
Мобилни климатизи	Internal Links	Dofollow
Мултисплит системи	Internal Links	Dofollow
Wi-Fi и аксесоари за монтаж	Internal Links	Dofollow
Климатизи 5000 BTU	Internal Links	Dofollow
Климатизи 7000 BTU	Internal Links	Dofollow
Климатизи 9000 BTU	Internal Links	Dofollow
Климатизи 10000 BTU	Internal Links	Dofollow
Климатизи 12000 BTU	Internal Links	Dofollow
Климатизи 13000 BTU	Internal Links	Dofollow
Климатизи 14000 BTU	Internal Links	Dofollow
Климатизи 15000 BTU	Internal Links	Dofollow
Климатизи 16000 BTU	Internal Links	Dofollow
Климатизи 18000 BTU	Internal Links	Dofollow
Климатизи 21000 BTU	Internal Links	Dofollow
Климатизи 22000 BTU	Internal Links	Dofollow
Климатизи 24000 BTU	Internal Links	Dofollow
Климатизи 30000 BTU	Internal Links	Dofollow
Климатизи 36000 BTU	Internal Links	Dofollow
Електрически конвектори	Internal Links	Dofollow
Стенни конвектори	Internal Links	Dofollow
Свободностоящи конвектори	Internal Links	Dofollow
Лъчисти конвектори	Internal Links	Dofollow
Отоплители за баня	Internal Links	Dofollow
Аксесоари	Internal Links	Dofollow
Бойлери	Internal Links	Dofollow
Малолитражни бойлери	Internal Links	Dofollow
Вертикални бойлери	Internal Links	Dofollow
Хоризонтални бойлери	Internal Links	Dofollow
Мултипозиционни бойлери	Internal Links	Dofollow
Със серпентина	Internal Links	Dofollow
За подов монтаж	Internal Links	Dofollow
Термопомпени	Internal Links	Dofollow
Термодинамични	Internal Links	Dofollow



Буферни съдове	Internal Links	Dofollow
Въздушни завеси	Internal Links	Dofollow
Термопомпени системи	Internal Links	Dofollow
Вентилаторни конвектори	Internal Links	Dofollow
Конвектори за открит монтаж	Internal Links	Dofollow
Конвектори за вграждане	Internal Links	Dofollow
Високостенни конвектори	Internal Links	Dofollow
Касетъчни конвектори	Internal Links	Dofollow
Соларни системи	Internal Links	Dofollow
Соларни колектори	Internal Links	Dofollow
Соларни комплекти	Internal Links	Dofollow
Грижа за въздуха	Internal Links	Dofollow
Въздухопречистватели	Internal Links	Dofollow
Влагоуловители	Internal Links	Dofollow
Овлажнители за въздух	Internal Links	Dofollow
Арома дифузери	Internal Links	Dofollow
Вентилация	Internal Links	Dofollow
Рекуператори	Internal Links	Dofollow
Вентилатори	Internal Links	Dofollow
За нас	Internal Links	Dofollow
Монтаж	Internal Links	Dofollow
Профилактика	Internal Links	Dofollow
Демонтаж	Internal Links	Dofollow
Промоции	Internal Links	Dofollow
Блог	Internal Links	Dofollow
Контакти	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Навес за външно тяло на климатик - 80/55 см	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Козирка за външно тяло на климатик - 100/65 см	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Комплект антивибрационни тампони - 4 броя	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Mitsubishi Heavy SRK35ZSP-W1/SRC35ZSP-W1 STANDARD, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Mitsubishi Heavy SRK35ZS-W/SRC35ZS-W2 PREMIUM, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Gree GWH12AUCXB-K6DNA2A CLIVIA WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Вентилаторна печка Rowenta SO6510, 2400W	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXP35M/RXP35M COMFORA, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Hitachi RAK-DJ50PHAE/RAC-DJ50PHAE airHome 400 WiFi, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Hitachi RAK-DJ35PHAE/RAC-DJ35PHAE airHome 400 WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
PVC кондензна тава за климатик + нагревател с термостат	Internal Links	Dofollow

No Anchor Text	Internal Links	Dofollow
Хиперинверторен климатик Mitsubishi Heavy SRK35ZSX-W/SRC35ZSX-W DIAMOND, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик KAISAI KLB-18HRHI/KLWB-18HRHO ICE WiFi, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Alpin ASW-35ETE Elite WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Mitsubishi Heavy SRK25ZSP-W1/SRC25ZSP-W1 STANDARD, 9000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Hitachi RAK-VJ35PHAE/RAC-VJ35PHAE airHome 600 WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Wi-Fi управление UTY-TFSXH3 за климатици General Fujitsu	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Wi-Fi управление за климатици Kaisai	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Wi-Fi контролер iCON FGL за климатици Fuji Electric	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Midea MA3-18HRFN8-QRD0GW/MA3-18HFN8-QRD0GW Prime 2, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Inventor LHUVI-12WFI/LHUVO-12 LEON WiFi, 12 000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Хиперинверторен климатик General Fujitsu ASHH12KGTG/АОНН12KGCG WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик General Fujitsu ASHH36KMTB/АОНН36KMTB, 36000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик General Fujitsu ASHH30KMTB/АОНН30KMTB, 30000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Inventor LDVI-12WFI/LDVO-12 LEGEND WiFi, 12 000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Метална кондензна вана за климатик - голяма	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Inventor NECUVI-09WFI/NECUVO-09 Neo ECO WiFi, 9000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Inventor NECUVI-12WFI/NECUVO-12 Neo ECO WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Подов климатик Cooper and Hunter CH-S18FVX-NG WiFi, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Подов климатик Cooper and Hunter CH-S12FVX-NG WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Подов климатик Cooper and Hunter CH-S09FVX-NG WiFi, 9000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Cooper and Hunter CH-S24FTXD2-WP NG Daytona WiFi, 24000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow

Инверторен климатик Cooper and Hunter CH-S18FTXD2-WP NG Daytona WiFi, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Cooper and Hunter CH-S12FTXD2-WP NG Daytona WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Cooper and Hunter CH-S09FTXD2-WP NG Daytona WiFi, 9000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Cooper and Hunter CH-S24FTXL2Q-NG Veritas WiFi, 24000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Cooper and Hunter CH-S18FTXQ-NG Veritas WiFi, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Cooper and Hunter CH-S12FTXQ-NG Veritas WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Cooper and Hunter CH-S09FTXQ-NG Veritas WiFi, 9000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Cooper and Hunter CH-S24FTXF-NG Vital WiFi, 24000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Alpin ASW-25KTN Nordic WiFi, 9000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик AUX ASW-H12C5A4+QDR3DI-C0 Neo, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик AUX ASW-H12C5A4/AQAR3DI-B8 Q-PRO, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик AUX ASW-H12C5A4/QFR3DI-C0 New-Q Black WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXC35D/RXC35D SENSIRA, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXC50D/RXC50D SENSIRA, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXC60D/RXC60D SENSIRA, 21000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXC71D/RXC71D SENSIRA, 24000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXM20A/RXM20A PERFERA WiFi, 7000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXM25A/RXM25A PERFERA WiFi, 9000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXM35A/RXM35A PERFERA WiFi, 12000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXM50A/RXM50A PERFERA WiFi, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow



Инверторен климатик Daikin FTXP25N/RXP25N COMFORA WiFi, 9000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Daikin FTXP50N/RXP50N COMFORA WiFi, 18000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Fuji Electric RSG07KETE-B/ROG07KETA, 7000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Fuji Electric RSG07KETE/ROG07KETA, 7000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Fuji Electric RSG07KMCE/ROG07KMCC, 7000 BTU	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Инверторен климатик Fuji Electric RSG09KETE-B/ROG09KETA, 9000 BTU	Internal Links	Dofollow
Alpin	Internal Links	Dofollow
Daikin	Internal Links	Dofollow
Fuji Electric	Internal Links	Dofollow
General Fujitsu	Internal Links	Dofollow
Gree	Internal Links	Dofollow
Hitachi	Internal Links	Dofollow
Kaisai	Internal Links	Dofollow
LG	Internal Links	Dofollow
Midea	Internal Links	Dofollow
Mitsubishi Electric	Internal Links	Dofollow
Mitsubishi Heavy	Internal Links	Dofollow
Toshiba	Internal Links	Dofollow
Treo	Internal Links	Dofollow
Плащане и доставка	Internal Links	Dofollow
Стоков кредит	Internal Links	Dofollow
Стоков кредит с 0% лихва	Internal Links	Dofollow
Общи условия	Internal Links	Dofollow
Политика за поверителност	Internal Links	Dofollow
Райони	Internal Links	Dofollow
История на поръчките	Internal Links	Dofollow
Производители	Internal Links	Dofollow
Карта на сайта	Internal Links	Dofollow
Информационен бюлетин	Internal Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.